



## CONSTRUCTION CATALOG

**TENAX**®



**SAFETY FENCE** | [page 6/7](#)

**SPECIALTY FENCE** | [page 8](#)

**REBAR CAPS** | [page 9](#)

**SNOW FENCE** | [page 10 - 11](#)

**UTILITY NETS** | [page 12 - 13](#)

**EROSION CONTROL** | [page 14 - 15](#)

**PROFESSIONAL PRODUCTS** | [page 16 - 17](#)

**TENAX MANUFACTURING** | [page 18 - 19](#)

# ABOUT TENAX

Tenax Corporation manufactures and distributes a variety of products for the industrial and construction markets. The Tenax name is known for its high quality and diverse product offering.

Tenax is a worldwide company with U.S. Headquarters based in Baltimore, MD, and manufacturing facilities in Baltimore, MD, and Evergreen, AL. The Tenax Group subsidiaries include: Mexico, Germany, France, Switzerland, China, United Kingdom, and Italy.

Tenax is most known for the orange construction fence, but offers a variety of product categories for safety, snow, erosion control, debris containment, deer barriers, and nets for an array of applications.

All the equipment used at Tenax factories is the result of specific in-house engineering research conducted in order to obtain the best efficiency and flexibility. The Tenax Quality Control Laboratory is one of the most advanced in the world: each stage of the production process, from raw polymers to finished goods, is carefully monitored, enabling customers to have complete confidence in the products they buy.

Tenax offers products for many market segments, including: agriculture, retail, construction, OEM, civil & environmental engineering, and drainage. We invite you to view the variety of products we have available by visiting [www.tenaxus.com](http://www.tenaxus.com).



[www.tenaxus.com](http://www.tenaxus.com) | page 3

# TENAX SOLUTIONS FOR CONSTRUCTION APPLICATIONS

Tenax provides the construction industry with a diverse range of high quality safety and snow products, as well as professional products for drainage and concrete reinforcement solutions. Known for the orange safety fence, Tenax products offer many benefits: long lasting, highly visible, strong, economical, and low maintenance. Tenax offers a variety of fencing products in various strengths,

colors, and sizes. Mesh configurations vary from diamond to oval meshes.

With all Tenax safety fences we offer a 'good, better, best' approach. Tenax offers the Guardian™ warning barrier when price is the main factor, and Beacon Plus™ when strength is a factor. The Tenax Logo Fence™ is available for construction companies that wish to personalize the fence with their brand.



Tenax snow fences are a must for winter safety. Safety starts with keeping snow cleared, and that's where Tenax snow fences stand out. By cutting wind speed, it reduces snow drift and lessens the need for plowing. Work sites and roads stay cleaner and safer! Snow fence can also be used as a sand or windbreak fence and as a safety fence in the warmer months.

*The original orange fence was first developed by Tenax.*



# SAFETY FENCE


## DIAMOND MESH SERIES DIAMEX



A lighter weight diamond mesh fence yet strong and durable. Diamex is well suited as a visual barrier around construction or work sites or for pedestrian control at fairs, festivals, carnivals, parades, sporting events and so on. Looks and feels like chain link.

DIAMEX				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
64111204	4 x 50'	1.8 x 1.5"	orange	20
64111206	4 x 50'	1.8 x 1.5"	green	20

## SENTRY



Similar to the Sentry Secura in appearance, but more economical. Sentry has a smooth top and bottom border and is a great alternative to Sentry Secura if price is an issue.

SENTRY				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
64712204	4 x 50'	1.375 x 1.5"	orange	42
64712304	4 x 100'	1.375 x 1.5"	orange	20

## SENTRY SECURA



Sentry Secura is a safe, smooth, and attractive safety fence. The diamond mesh ensures aesthetic appeal, while the smooth top and bottom borders make Sentry Secura less likely to cut and scrape adjacent materials during installation and removal.

SENTRY SECURA				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
64012204	4 x 50'	1.375 x 1.5"	orange	30
64010306	4 x 50'	1.375 x 1.5"	green	30
64012304	4 x 100'	1.375 x 1.5"	orange	16
64015204	5 x 50'	1.375 x 1.5"	orange	30
64018204	6 x 50'	1.375 x 1.5"	orange	30

Tenax Sentry Secura around a construction site.




## SENTRY HD

Sentry Heavy Duty is a stronger version of Sentry Secura.



SENTRY HD				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
64312204	4 x 50'	1.75 x 2.125"	orange	20
64315809	4 x 50'	1.75 x 2.125"	black	20
64315208	4 x 50'	1.75 x 2.125"	green	20
64313304	4 x 100'	1.75 x 2.125"	orange	9

## WARNING BARRIERS GUARDIAN



Guardian is a lightweight visual barrier suited for use around construction sites or in crowd-control applications. A highly noticeable barrier with oval mesh openings, Guardian is UV protected. Guardian is our most popular and best selling barrier.

GUARDIAN				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
82094004	4 x 50'	1.75 x 1.75"	orange	80
82082104	4 x 100'	1.75 x 1.75"	orange	64
5A030001	4 x 100'	1.75 x 1.75"	green	48
82096004	8 x 500'	1.75 x 1.75"	orange	6

## SAFEGUARD



Safeguard is specifically developed for warning and signaling of road work, obstacles and dangerous areas. Its light weight and flexibility allow quick and easy installation, making it the ideal solution for short term applications.

SAFEGUARD				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
2A070036	4 x 100'	3.5 x 1.5"	orange	48

**NEW!**

## BEACON PLUS



Beacon Plus is designed for protection around construction sites and manholes or for use as a property delineator. Its bright orange color is sure to be noticed and its manufacturing process guarantees strength and durability.

BEACON PLUS				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
89911004	4 x 50'	3.5 x 1.5"	orange	56
89903004	4 x 100'	3.5 x 1.5"	orange	48
89903006	4 x 100'	3.5 x 1.5"	green	48

Tenax Beacon Plus is available in both orange and green for a variety of applications.



Tenax plastic System Ties are ideal for attaching safety fence to posts for a tight secure installation.

SYSTEM TIES			
PRODUCT CODE	SIZES	COLORS	TIES/CASE
30010201	7"	black	1,000
30011201	11'	black	1,000



# SPECIALTY FENCE


## LOGO



Tenax Logo fence is ideal for contractors who wish to have the name of their company screen-printed on the fence. The product offers high visibility and quality, while advertising the company name.

LOGO				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
1A050188	4 x 100'	1.65 x 2.30"	yellow/orange	48

## KRYPTONIGHT



Kryptonight is ideal for areas where high visibility is a must. Kryptonight compliments the florescent stop signs, vests, and cones, which are now used in many county municipalities, replacing the traditional orange.

KRYPTONIGHT				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
2A050121	4 x 50'	1.75 x 1.75"	yellow green	60
2A040003	4 x 100'	1.75 x 1.75"	yellow green	48

## RANCH 1



Ranch 1 is manufactured using Tenax bi-orientation technology (stretching of the mesh in both the longitudinal and transversal directions) to provide extra strength and rigidity. Ranch 1 fence is ideal for solving all temporary and permanent fencing problems on both farming and construction environments.

RANCH 1				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
93081506	5 x 165'	1.65 x 2.30"	green	50
93082006	6.6 x 165'	1.65 x 2.30"	green	50

*Kryptonight around a construction site*



Tenax plastic System Ties are ideal for attaching specialty fence to posts for a tight secure installation.

SYSTEM TIES			
PRODUCT CODE	SIZES	COLORS	TIES/CASE
30010201	7"	black	1,000
30011201	11'	black	1,000

# REBAR CAPS

Tenax Plastic Rebar Caps are safe solutions to covering the ends of exposed rebars to help reduce the risk of injury to people, animals, materials, or even other construction devices. Presented in brilliant orange and bright neon colors for high visibility, they let you know that this is where some rebar is and you need to take caution. These tops help dull the ends of rebars and brighten them up for the world to see. OSHA approved and chemical resistant. Rebar Caps are not designed or intended to provide impact or impalement protection\*.

**NEW!**

REPAR PROTECTOR CAPS			
PRODUCT CODE	REPAR	COLORS	QTY PER PACK
2A060241	A-10	lime	100
2A060242	A-20	lime	100
2A060243	A-5	lime	200
2A060244	D-10	orange	100

## PROTECTOR CAPS A-10



*Fits rebar 3/8" to 1 1/4" diameter.  
Also fits inside 1 3/4" ID pipe*

## PROTECTOR CAPS A-20



*Fits rebar 1" to 2 1/4" diameter.*

## PROTECTOR CAPS A-5



*Fits rebar 3" to 3/4" diameter.  
Also fits inside 1" ID pipe*

## PROTECTOR CAPS D-10



*D-10 fits rebar #3-7, 3/8" to 7/8" diameter.  
\*D-10 Protector Caps meets the testing requirements of CAL OSHA Construction safety orders section 1712 on impalement protection from concrete reinforcing bars (#3-9, 3/8" - 1 1/4") for heights up to 7 1/2" and 250 lbs. when properly installed.*

# SNOW FENCE

## CONTROLLING A SNOW DRIFT

When snow blows and drifts on roadways or driveways, the end result often includes a reduction in driver safety, degradation of road quality, and significant removal costs for drifted snow. Snow fences not only control drifts, but are also used to trap snow in dugouts for water storage. The value of a snow fence is clear; however, exactly how one works is not commonly understood.

Snow fence is designed to create snow drifts rather than to prevent them. Snowdrifts form wherever the wind slows down across a given area. The basics of drift control are: to keep a blizzard wind moving, or to slow it down where you want the snowdrift. Snow fences act as windbreaks, causing blowing snow to be deposited as drifts where it is stored.

## INSTALLING A SNOW FENCE

Proper installation is critical. Snow fence should be positioned upwind of the desired drift area, noting the prevailing wind direction. Posts should be strong as they will be the weakest link where tensile strength is concerned (metal U-posts should not be used). Bury posts 1/3 their height and place no more than 8 feet apart. The fence should be pulled taught, and support wires should stabilize end posts to prevent sagging. Fence should be attached to the upwind side of the post to minimize tearing. There should be a 5 inch minimum gap at the bottom of the fence to prevent burying. The higher the fence from the ground, the further away the drift will start.



# SNOW FENCE

## SNO-GUARD

**GOOD**



Available in both green and the standard orange, our most economical snow fence has been used effectively in various commercial applications and settings. Parking lots, airports, and industrial facilities have all benefited from Sno-Guard's efficient snow-control design.

### SNO-GUARD

PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
82119004	4 x 50'	1.75 x 1.75"	orange	60
82119006	4 x 50'	1.75 x 1.75"	green	60
82119104	4 x 100'	1.75 x 1.75"	orange	48

## SAF-T-SNO

**BETTER**



Saf-T-Sno is a UV stabilized fence with oval mesh openings designed to slow wind and create drifts for snow storage or where they will not interfere with roadways, driveways, or runways. Strong HDPE plastic resists wind damage and remains flexible in freezing temperatures.

### SAF-T-SNO

PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
90701804	4 x 50'	4 x 1"	orange	48
90755609	4 x 50'	4 x 1"	black	48
90753604	4 x 100'	4 x 1"	orange	24

## NORDIC PLUS II

**BEST**



Our strongest snow fence, Nordic Plus II, is often used on D.O.T. projects.

### NORDIC PLUS II

PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
90853704	4 x 100'	3 x 1.5"	orange	25
90853709	4 x 100'	3 x 1.5"	black	25

**BEST**



Tenax snow fence used at a construction site



Tenax plastic System Ties are ideal for attaching snow fence to posts for a tight secure installation.

### SYSTEM TIES

PRODUCT CODE	SIZES	COLORS	TIES/CASE
30010201	7"	black	1,000
30011201	11'	black	1,000

## ALPI

The high tensile strength of Alpi makes it ideal for use against deep snow and high wind. Construction supervisors and homeowners alike count on Alpi for protection against the impact of severe weather.

### ALPI

PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
92013504	4 x 50'	3 x 1.5"	orange	48
92013704	4 x 100'	3 x 1.5"	orange	25

## UTILITY NETS

Tenax fencing is the ideal alternative where welded wire has been the traditional solution. Its durability, ease of use, and other practical advantages make it a superior choice.

Tenax nets offer maximum strength due to bi-oriented stretching. The product is lightweight and easy to transport and handle. Tenax nets will not rust, rot or corrode, and will never need painting. All nets are UV stabilized to withstand outdoor sun exposure, and stay in peak condition even in severe weather. The nets guarantee optimal visibility and allow the transfer of natural light. There are no sharp edges, so the product will not cut your hands during installation.

The applications for Tenax Utility Nets are limitless. The product can be used for fencing around parks, properties, and farms. This product is ideal as a sports utility fence. Tenax nets can also be used as road barrier stabilizers and rolled insulation.

*Tenax Debris Control Fence is ideal for creating temporary or permanent containment fencing areas at construction sites.*



## CINTOFLEX SERIES



### CINTOFLEX C

This specially stretched wide mesh fencing mimics the texture of cloth and welded wire. Nearly invisible from just a few feet away, it is perfect for use as a property fence, deer control fence, or debris control.

CINTOFLEX C				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
60093409	4 x 330'	1.77 x 1.96"	black	20
60095409	5 x 330'	1.77 x 1.96"	black	20
60097109	6 x 100'	1.77 x 1.96"	black	20
60097409	6 x 330'	1.77 x 1.96"	black	20
60098109	7.5 x 100'	1.77 x 1.96"	black	n/a
60098409	7.5 x 330'	1.77 x 1.96"	black	n/a
60008409	10 x 330'	1.77 x 1.96"	black	n/a
60009409	15 x 330'	1.77 x 1.96"	black	n/a



Tenax plastic System Ties are ideal for attaching cintoflex fences and nets to posts for a tight secure installation.

### SYSTEM TIES

PRODUCT CODE	SIZES	COLORS	TIES/CASE
30010201	7"	black	1,000
30011201	11"	black	1,000



### CINTOFLEX D, E, M

Size and appearance make these products the preferred solution for large-area sporting facilities, such as tennis courts and golf courses. The stretching process makes this net resistant to high-speed impacts.

CINTOFLEX D				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
60015409	5 x 330'	.82 x 1.33"	black	n/a
60020409	6.5 x 330'	.82 x 1.33"	black	n/a
60025409	10 x 330'	.82 x 1.33"	black	n/a
60030409	15 x 330'	.82 x 1.33"	black	n/a

CINTOFLEX E				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
60033409	4 x 330'	.47 x .55"	black	20
60032409	6.5 x 330'	.47 x .55"	black	20

CINTOFLEX M				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
60041409	4 x 330'	.75 x 1"	black	25
60045409	5 x 330'	.75 x 1"	black	25
60050409	6.5 x 330'	.75 x 1"	black	20
1A070386	10 x 330'	.75 x 1"	black	n/a
60065409	15 x 330'	.75 x 1"	black	n/a

### CINTOFLEX P

This heavy duty multi-purpose fence is perfect for enclosing both small and large areas. Especially areas that are subject to heavy deer traffic. Suitable for both temporary and permanent applications.

CINTOFLEX P				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
60160259	7.5 x 164'	1.77 x 1.96"	black	25

## INSULATION NET



Designed to stabilize and reinforce rolled insulation, Insulation Net makes it possible to secure insulation without the use of metal bars. Insulation Net provides effective reinforcement without deforming or damaging the insulation.

INSULATION NET				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
60041109CO	4 x 330'	.75 x 1"	black	20

### AR 1545



Specially developed to provide protection for anti-corrosive pipe coating during handling, laying, and installation. AR155 drastically reduces damage encountered in pipe storage. Protects pipes during loading, transportation, and unloading. Protects against protruding rocks.


AR 1545				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
83015614	5 x 100'	.3 x .15"	black	12

# EROSION CONTROL

Erosion control on work sites and in finished projects is more than just important, it is essential. It is often a city, state, and federal requirement.

Tenax helps meet these requirements with a variety of erosion control products for many applications. Silt fencing helps control soil loss at the work sites, while radix, turf enforcement and grass protection meshes all contribute to longer-term erosion control and grass support.

## RADIX



Radix gets its name from the Latin word for "root" – and for good reason. This product is specially designed to help vegetation establish an effective root base. Radix net is ideal for holding straw or hay mulch in place while vegetation is established.

RADIX				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
79S10796	12.5 x 6,000'	1.7 x 1"	green	n/a

RADIX 9 ACRE				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
79S08966	15.5 x 25,000'	1.7 x 1"	green	n/a

RADIX 10 ACRE				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
1A040471	17.25 x 25,000'	1.7 x 1"	green	n/a

RADIX 11 ACRE				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
1A040472	19.2 x 25,000'	1.7 x 1"	green	n/a

## SILT FENCE



Nothing beats silt fence at preventing work site soil loss. A lightweight woven fabric allows fluids to pass through while trapping soil particles, thus preventing soil loss from the work site. Tenax silt fence comes pre-attached to posts, so no expensive machinery is required for installation.

SILT FENCE				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
31900500	2 x 100'	n/a	black	25
31900700	3 x 100'	n/a	black	25

Tenax Radix being used to control straw from blowing




## TURF REINFORCEMENT - TR



TR is a strong, high density polyethylene net. Once installed, it provides a very stable surface suitable to withstand the loading of cars and lightweight trucks.



## GRASS PROTECTION - GP



GP is a heavy duty extruded polymer grid for protecting and reinforcing grassed areas used by vehicles. Once established, GP will protect the grass roots and help prevent rutting.

TR				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
64313308	6.7 x 100'	1 1/16 x 1 1/16"	green	n/a
GP				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
80003189	6.7 x 60'	5/8 x 5/8"	green	n/a

*Tenax GP is designed to protect and reinforce grassed areas used by heavy vehicles*



## TR/GP ACCESSORIES

Tenax provides galvanized steel U shaped metal fixing pins to ensure easy and secure installation of our TR and GP products.

In addition, Tenax Parking Markers are ideal for marking out parking bays. Simply pushed through the mesh into the ground, this highly visible market peg will guide drivers into the right location and ensure that optimum use is made of grassed parking areas.

### STAPLES TR/GP



### STAPLES TR/GP

PRODUCT CODE	SIZE	COLOR	CASE QUANTITY
2A060016	8 x 1 x 8"	#6steel	500

### PARKING MARKERS TR/GP

PRODUCT CODE	LENGTH	COLOR	CASE QUANTITY
3A032242	4 inches	white	100

### PARKING MARKERS TR/GP



## PROFESSIONAL PRODUCTS

It happens all the time: contractors and homeowners will spend a great deal of time and effort to pour the perfect slab, only to find cracks developing as the concrete cures over time.

People often fail to take the simple precautions that can prevent shrinking and cracking in concrete and other masonry products. Some may turn to traditional metal grids to overcome these problems, but such solutions are generally limited to people in the trade. That's why Tenax has developed new grids that are easier to handle and install. With Tenax grids, you can count on getting smooth, strong, crack-resistant surfaces that bring out the best in whatever mixture you use.

*Tenax RF2 is an excellent, and economical alternative to heavy, rusted metal mesh for concrete crack prevention. It is the ideal solution to stucco.*



## CONCRETE CONSTRUCTION AIDS



### RF1


RF1 is an excellent, and economical, alternative to heavy, rusted metal mesh for concrete crack prevention. Ideal for concrete used in larger areas such as gyms, sports arenas, parking lots access ramps, tracks, sidewalks, etc.



### RF2

RF2 is especially suited for use with thick, high-grain stucco. It's easier to place and mold to the contours of the base structure than metal grids, and won't oxidize or rust.

RF1				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
60297251	5 x 165'	1.7 x 1"	grey	n/a
60298251	6.5 x 165'	1.7 x 1"	grey	n/a
RF2				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
60303251	5 x 165'	1.7 x 1"	grey	n/a
60299261	6.5 x 165'	1.7 x 1"	grey	n/a



### ROCK-IN-ROLL

ROCK-in-ROLL is a Void-Maintaining System (VMS), comprised of top and bottom engineered fabrics laminated to high tensile vertical columns that are designed to simultaneously provide drainage and reinforcing strength. The engineered fabric allows for direct concrete pouring on top of the VMS, thereby maintaining open flow channels.

ROCK-IN-ROLL				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
80003779	6.7 x 100'	1 <sup>1</sup> / <sub>16</sub> x 1 <sup>1</sup> / <sub>16</sub> "	black	n/a


*Tenax Tenseal-T is easy to install, and ideal for waterproofing both large and small areas like roof gardens, green terraces, driveways, walkways, foundations, or containment walls.*



### TENSEAL-T

An impermeable HDPE membrane, Tenseal-T offers great resistance to crushing. The flat side provides waterproofing. The textured side protects the membrane, while also creating integral spacers to drain fluids away from the surface being waterproofed.

TENSEAL-T				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
2A030023	6.7 x 200'	5/8 x 5/8"	black	n/a
TENFLOW PLUS				
PRODUCT CODE	SIZES	MESH	COLORS	ROLLS/PALLET
2A060240	12.5 x 100'	5/8 x 5/8"	black	n/a



### TENFLOW PLUS

Tenflow Plus includes a filtering function that keeps soils and other particles from clogging spacers. It's applications are great for basements, and other areas that require both drainage and protection.

## ABOUT TENAX MANUFACTURING


Fencing in large construction areas or sporting events has never been easier, thanks to the advances being made by Tenax research and design teams. Tenax plastic fence and nets are manufactured using the highest of high density polyethelene and polypropylene plastics. Tenax offers products that are strong, lightweight and more economical than traditional metal products.

### EXTRUDED PLASTIC

Tenax's extrusion process, allows us to offer our customer's a wide variety of fencing styles and sizes, with heights up to 15 feet.

### THE STRETCHING PROCESS MAKES THE DIFFERENCE

Our stretching process gives the polymer a unique molecular orientation, creating fences and nets that are both strong and durable.



Whether stretched in one direction (mono-oriented), or two directions, (bi-oriented), Tenax fence and nets are manufactured to withstand adverse climate and environmental conditions. All Tenax products are manufactured under the watchful eyes of our ISO 9002 certified quality control department.



*The Tenax Group has over 40 years of experience in the field of extruded polymer products.*



**TENAX Corporation**

4800 East Monument Street  
Baltimore, Maryland 21205 - **USA**  
410.522.7000 · 1.800.356.8495  
Fax 410.522.7015  
[info@us.tenax.com](mailto:info@us.tenax.com) · [www.tenaxus.com](http://www.tenaxus.com)